HB3348 FULLPCS1 Don Armes-KB 2/21/2014 10:01:44 am

COMMITTEE AMENDMENT

HOUSE OF REPRESENTATIVES
State of Oklahoma

SPEAKER:				
CHAIR:				
I move to amend	НВ3348			
Page	Section	Т.	Of t ines	the printed Bill
Lage		ь	Of the	e Engrossed Bill
By striking the inserting in lie				L, and by
AMEND TITLE TO CONF	ORM TO AMENDMENTS			
Adopted:		Amendmer	nt submitted by	: Don Armes

Reading Clerk

1	STATE OF OKLAHOMA			
2	2nd Session of the 54th Legislature (2014)			
3	PROPOSED COMMITTEE SUBSTITUTE			
4	FOR HOUSE BILL NO. 3348 By: Armes			
5	By. Almes			
6				
7				
8	PROPOSED COMMITTEE SUBSTITUTE			
9	An Act relating to wind energy; providing definitions; requiring certain anemometer towers to be marked, painted and flagged in certain manner; granting certain time period for anemometer towers to be marked; specifying types of marking required on			
10				
11				
12	towers, guy wires and accessory facilities; providing a penalty for violations; providing for codification;			
13	and providing an effective date.			
14				
15	BE IT ENACTED BY THE PEOPLE OF THE STATE OF OKLAHOMA:			
16	SECTION 1. NEW LAW A new section of law to be codified			
17	in the Oklahoma Statutes as Section 160.20 of Title 17, unless there			
18	is created a duplication in numbering, reads as follows:			
19	A. As used in this section:			
20	1. "Anemometer" means an instrument for measuring and recording			
21	the speed of the wind; and			
22	2. "Anemometer tower" means a structure, including all guy			
23	wires and accessory facilities, on which an anemometer is mounted			
24				

Req. No. 9966 Page 1

for the purpose of documenting whether a site has wind resources sufficient for the operation of a wind turbine generator.

- B. Any anemometer tower that is fifty (50) feet in height above the ground or higher that is located outside the exterior boundaries of any municipality and whose appearance is not otherwise mandated by state or federal law shall be marked, painted, flagged or otherwise constructed to be recognizable in clear air during daylight hours. Any anemometer tower that was erected before the effective date of this act shall be marked as required in this section within two (2) years after the effective date of this act. Any anemometer tower that is erected on or after the effective date of this act shall be marked as required in this section at the time it is erected. Marking required under this section includes marking the anemometer tower, guy wires and accessory facilities as follows:
 - 1. The top one-third (1/3) of the anemometer tower shall be painted in equal, alternating bands of aviation orange and white, beginning with orange at the top of the tower and ending with orange at the bottom of the marked portion of the tower;
 - 2. Two marker balls shall be attached to and evenly spaced on each of the outside guy wires; and
 - 3. One or more seven-foot safety sleeves shall be placed at each anchor point and shall extend from the anchor point along each guy wire attached to the anchor point.

Req. No. 9966 Page 2

```
C. Any person who violates the provisions of this section shall
 1
 2
    be guilty of a misdemeanor punishable by a fine not exceeding One
 3
    Hundred Dollars ($100.00) per day for each day the person is in
    violation of the provisions of this section but not more than a
 4
 5
    maximum of Three Thousand Dollars ($3,000.00).
 6
        SECTION 2. This act shall become effective November 1, 2014.
 7
                               02/20/14
 8
        54-2-9966
                       KΒ
 9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
```

Req. No. 9966 Page 3