

1 ENGROSSED SENATE
2 BILL NO. 1195

By: Wyrick and Justice of the
Senate

3 and

4 Cox and Armes of the House
5
6

7 An Act relating to anemometer towers; defining terms;
8 requiring certain markings for anemometer towers in
9 certain locations; stating effective dates; requiring
10 certain markings for towers, guy wires and
11 facilities; stating penalties for violations;
12 providing for codification; and providing an
13 effective date.

14 BE IT ENACTED BY THE PEOPLE OF THE STATE OF OKLAHOMA:

15 SECTION 1. NEW LAW A new section of law to be codified
16 in the Oklahoma Statutes as Section 121 of Title 3, unless there is
17 created a duplication in numbering, reads as follows:

18 A. For purposes of this act, the term "anemometer" means an
19 instrument for measuring and recording the speed of wind. The term
20 "anemometer tower" means a structure, including all guy wires and
21 accessory facilities, on which an anemometer is mounted.

22 B. In addition to any zoning requirements of the Airport Zoning
23 Act or the Aircraft Pilot and Passenger Protection Act, any
24 anemometer tower that is fifty (50) feet in height above the ground
or higher, that is located outside the exterior boundaries of any

1 municipality, and whose appearance is not otherwise mandated by
2 state or federal law shall be marked, painted, flagged, or otherwise
3 constructed to be recognizable in clear air during daylight hours.

4 C. Any anemometer tower erected before the effective date of
5 this act shall be marked as required herein within one year
6 following the effective date of this act. Any anemometer tower
7 erected on or after the effective date of this act shall be marked
8 as required herein at the time it is erected.

9 D. Marking as required by this act shall include marking the
10 anemometer tower, guy wires, and accessory facilities as follows:

11 1. The top one-third ($1/3$) of the anemometer tower shall be
12 painted in equal, alternating bands of aviation orange and white,
13 beginning with orange at the top of the tower and with orange at the
14 bottom of the marked portion of the tower;

15 2. Two marker balls shall be attached to and evenly spaced on
16 each of the outside guy wires;

17 3. The area surrounding each point where a guy wire is attached
18 to the ground shall have a contrasting appearance with any
19 surrounding vegetation. If the adjacent land is grazed, the area
20 surrounding the anchor point shall be fenced not less than sixty-
21 four (64) square feet with an outer boundary at least four (4) feet
22 from the anchor point; and
23
24

1 4. One or more seven-foot safety sleeves shall be placed at
2 each anchor point and shall extend from the anchor point along each
3 guy wire attached to the anchor point.

4 E. Violations of this act shall constitute a misdemeanor
5 punishable by a fine of One Hundred Dollars (\$100.00) per day, per
6 separate offense. Subsequent violations of this act shall be
7 punishable by a minimum fine of One Thousand Dollars (\$1,000.00) not
8 to exceed Five Thousand Dollars (\$5,000.00) per day, per separate
9 offense.

10 SECTION 2. This act shall become effective November 1, 2014.

11 Passed the Senate the 26th day of February, 2014.

12

13

Presiding Officer of the Senate

14

15 Passed the House of Representatives the ____ day of _____,
16 2014.

17

18

Presiding Officer of the House
of Representatives

19

20

21

22

23

24