SB690 FULLPCS1 Avery Frix-JBH 4/8/2019 11:28:47 am

COMMITTEE AMENDMENT HOUSE OF REPRESENTATIVES State of Oklahoma

SPEAKER:

CHAIR:

I move to amend <u>SB690</u> Of the printed Bill Page Section Lines Of the Engrossed Bill

By striking the Title, the Enacting Clause, the entire bill, and by inserting in lieu thereof the following language:

AMEND TITLE TO CONFORM TO AMENDMENTS

Amendment submitted by: Avery Frix

Adopted: _____

Reading Clerk

1	STATE OF OKLAHOMA
2	1st Session of the 57th Legislature (2019)
З	PROPOSED COMMITTEE SUBSTITUTE
4	FOR ENGROSSED SENATE BILL NO. 690 By: Allen of the Senate
5	and
6	Frix of the House
7	FIIX OF the nouse
8	PROPOSED COMMITTEE SUBSTITUTE
9	
10	An Act relating to motor vehicles; amending 47 O.S. 2011, Section 14-103, as amended by Section 1, Chapter 8, O.S.L. 2018 (47 O.S. Supp. 2018, Section
11	14-103), which relates to size, weight and load of vehicles; modifying certain vehicle height
12	restriction; requiring vertical clearance map be published to website; providing for liability for
13	certain vehicles and loads; updating statutory language; providing an effective date; and declaring
14	an emergency.
15	
16	BE IT ENACTED BY THE PEOPLE OF THE STATE OF OKLAHOMA:
17	SECTION 1. AMENDATORY 47 O.S. 2011, Section 14-103, as
18	amended by Section 1, Chapter 8, O.S.L. 2018 (47 O.S. Supp. 2018,
19	Section 14-103), is amended to read as follows:
20	Section 14-103. Except as otherwise provided for by this
21	chapter:
22	A. No Except as otherwise provided for by this chapter, no
23	vehicle, with or without load, shall have a total outside width in
24	excess of one hundred two (102) inches excluding:

1

1. Tire bulge;

2 2. Approved safety devices;

3 3. A retracted awning with a width of eight (8) inches or less 4 or other appurtenance of four (4) inches or less which is attached 5 to the side of a recreational vehicle, as defined in Section 1102 of 6 this title; and

Pins used as a safety precaution or as a load-assisting
device if the pins do not extend the overall width of the vehicle
beyond nine (9) feet. The State of Oklahoma hereby declares it has
determined, in accordance with 23 C.F.R., Section 658.15, that such
pins are necessary for the safe and efficient operation of motor
vehicles.

The provisions of this subsection shall not apply to any person engaged in the hauling of round baled hay with a total outside width of eleven (11) feet or less when the hay is owned by such person and is being hauled for any purpose other than resale. The provisions of this subsection shall also not apply to any county official or employee engaged in the hauling or pulling of a trailer or equipment owned by the county on the county roads of such county.

20

B. Except as otherwise provided for by this chapter:

21 <u>1.</u> No vehicle, with or without load, shall exceed a height of 22 thirteen and one-half (13 1/2) feet <u>on any county road, or fourteen</u> 23 <u>(14) feet on any turnpike, interstate, U.S. or state highway</u>, unless 24 a greater height is authorized by a special permit issued by the Commissioner of Public Safety or an authorized representative of the Commissioner in consultation with the Department of Transportation specifying the highways to be used, consistent with public convenience and safety. The prohibitions on movement as prescribed in subsection F of Section 14-101 of this title and paragraph 1 of subsection G of Section 14-101 of this title shall not apply to vehicles operated pursuant to such permits;

8 <u>2. An official state bridge vertical clearance map providing</u> 9 <u>clearance heights as posted for bridges on the interstate, U.S. and</u> 10 <u>state highway systems shall be available on the Oklahoma Department</u> 11 of Transportation website; and

12 <u>3. Operators and owners of vehicles which exceed or have loads</u> 13 which exceed thirteen and one-half (13 1/2) feet shall be held 14 liable for all damages to any part of structures spanning the 15 highway or damages suffered by other affected parties caused by the 16 vehicle or load exceeding the posted height.

17 C. Except as otherwise provided for by this chapter:

18 1. No single truck, with or without load, shall have an overall 19 length, inclusive of front and rear bumpers, in excess of forty-five 20 (45) feet-;

21 2. No single bus, with or without load, shall have an overall 22 length, inclusive of front and rear bumpers, in excess of forty-five 23 (45) feet-;

24

Req. No. 8672

1 3. On the National Network of Highways which includes the a. 2 National System of Interstate and Defense Highways and 3 four-lane divided Federal Aid Primary System Highways, 4 no semitrailer operating in a truck-5 tractor/semitrailer combination shall have a length greater than fifty-three (53) feet, except as provided 6 7 in subsection C of Section 14-118 of this title which shall apply to semitrailers exceeding fifty-three (53) 8 9 feet but not exceeding fifty-nine (59) feet six (6) 10 inches. On the National System of Interstate and 11 Defense Highways and four-lane divided Federal Aid 12 Primary System Highways, no semitrailer or trailer 13 operating in a truck-tractor/semitrailer and trailer 14 combination shall have a length greater than fifty-15 three (53) feet. 16 On roads and highways not a part of the National b.

17 System of Interstate and Defense Highways or four-lane 18 divided Federal Aid Primary System Highways, no 19 semitrailer operating in a truck-tractor/semitrailer 20 combination shall have a length greater than fifty-21 three (53) feet and no semitrailer or trailer 22 operating in a truck-tractor/semitrailer and trailer 23 combination shall have a length greater than twenty-24 nine (29) feet. Except as provided for in subsection

1 D of Section 14-118 of this title, no other 2 combination of vehicles shall have an overall length, inclusive of front and rear bumpers, in excess of 3 4 seventy (70) feet on all roads and highways. For the 5 purposes of this paragraph, oil field rig-up trucks shall be considered to be truck-tractors, when towing 6 7 a trailer or semitrailer-; 4. No combination of vehicles shall consist of more than two 8 9 units, except: 10 one truck and semitrailer or truck-tractor/semitrailer a. 11 combination may tow one complete trailer or 12 semitrailer, or 13 b. vans, suburbans, blazers or other similar types of 14 vehicles and self-propelled recreational vehicles with 15 a three-quarter (3/4) ton or more rated capacity may 16 tow a semitrailer and one complete trailer or 17 semitrailer for recreational purposes only, provided 18 the overall length, inclusive of the front and rear 19 bumpers, does not exceed sixty-five (65) feet-; 20 5. Poles and gas lines used to maintain public utility 21 services, not to include new construction, may be moved during 22 daylight hours, and during nighttime hours only in an emergency, 23 subject to traffic and road restrictions promulgated by the 24 Commissioner of Public Safety, when the overall length does not

Req. No. 8672

1 exceed eighty (80) feet. When this length is exceeded, these loads 2 are subject to the requirements of Section 14-118 of this title.

6. For the purposes of paragraphs 1, 3, and 4 of this 3 4 subsection, the length of unitized equipment, which is defined to be 5 equipment so constructed and attached to a rubber-tired vehicle that the vehicle and load become a unit and are for all practical 6 7 purposes inseparable, shall be the length of the vehicle itself, and shall not include any protrusion of the equipment load so 8 9 constructed or attached. Said The equipment shall not protrude for 10 a distance greater than two-thirds (2/3) of the wheel base of said 11 the vehicle, shall not impair the driver's vision, and if less than 12 seven (7) feet above the roadway, shall be safely marked, flagged or 13 illuminated. Any such protruding structure shall be securely held 14 in place to prevent dropping or swaying. Unitized equipment shall 15 carry such safety equipment as shall be determined to be necessary 16 for the safety, health, and welfare of the driving public by the 17 Commissioner of Public Safety-;

18 7. For the purposes of paragraphs 1, 3, and 4 of this
19 subsection, a truck-tractor, when being towed by another vehicle
20 with the wheels of its steering axle raised off the roadway, shall
21 be considered to be a semitrailer as defined in Section 1-162 of
22 this title-;

8. The provisions of paragraphs 1 and 3 of this subsection
shall not apply to any contractor or subcontractor, or agents or

Req. No. 8672

employees of any contractor or subcontractor, while engaged in transporting material to the site of a project being constructed by, for, or on behalf of this state or any city, town, county, or subdivision of this state-<u>;</u> and

Special mobilized machinery, as defined in Section 1102 of 5 9. this title, which exceeds the size provisions of this section shall 6 7 only use the highways of the State of Oklahoma by special permit issued by the Commissioner of Public Safety or an authorized 8 9 representative of the Commissioner. Such special permit shall be: 10 a. a single-trip permit issued under the provisions of 11 Section 14-116 of this title, or 12 b. a special annual oversize permit issued for one (1) 13 calendar year period upon payment of a fee of Ten 14 Dollars (\$10.00) plus any amount as provided by 15 subsection H of Section 14-118 of this title. 16 SECTION 2. This act shall become effective July 1, 2019. 17 SECTION 3. It being immediately necessary for the preservation 18 of the public peace, health or safety, an emergency is hereby 19 declared to exist, by reason whereof this act shall take effect and 20 be in full force from and after its passage and approval. 21 22 57-1-8672 04/05/19 JBH 23

- 20
- 24