1	ENGROSSED SENATE
2	BILL NO. 61 By: Bergstrom of the Senate
3	and
	Frix of the House
4	
5	
6	An Act relating to motor vehicles; amending Section 1, Chapter 53, O.S.L. 2018 (47 O.S. Supp. 2020,
7	Section 14-126), which relates to designated high- wide corridors; specifying high-wide corridor
8	locations; removing certain intersections as high-
9	wide corridors; and providing an effective date.
10	
11	BE IT ENACTED BY THE PEOPLE OF THE STATE OF OKLAHOMA:
12	SECTION 1. AMENDATORY Section 1, Chapter 53, O.S.L. 2018
13	(47 O.S. Supp. 2020, Section 14-126), is amended to read as follows:
14	Section 14-126. A. As used in this section:
15	1. "Affected area" means the entire width of the right-of-way
16	of the route extended to a height of twenty-three (23) feet above
17	the roadway;
18	2. "High-wide load" means a motor vehicle transporting property
19	on any portion of a route where the vehicle exceeds the limitations
20	on size imposed by Section 14-103 of Title 47 of the Oklahoma
21	Statutes and no portion of the motor vehicle or the transported
22	property has a greater width than twenty-eight (28) feet or a
23	greater height than twenty-three (23) feet; and
24	

- 1 3. "Political subdivision" means a city, village, town or
  2 county.
  - B. The following routes through Oklahoma are designated as Oklahoma high-wide corridors:
  - 1. US-83 <u>in Beaver County</u>, commencing at the Texas border and ending at the Kansas border; and
    - a. commencing at the intersection of US-83 and US-270 in
       Beaver County, proceeding east on US-270 to SH-51 in
       Dewey County,
      - b. at the intersection of US-270 and SH-51, proceeding east on SH-51 to US-77 in Logan County,
      - c. at the intersection of SH-51 and US-77, proceeding north on US-77 to US-64 in Noble County,
      - d. at the intersection of US-77 and US-64, proceeding east on US-64 to SH-108 in Payne County,
      - e. at the intersection of US-64 and SH-108, proceeding south on SH-108 to SH-51,
      - f. at the intersection of SH-108 and SH-51, proceeding east on SH-51 to SH-97 in Tulsa County, and
      - g. at the intersection of SH-51 and SH-97, proceeding north on SH-97 and ending at East 21st Street; and
    - 3. a. commencing at the intersection of SH-51 and SH-99 in <a href="Maintain: Creek County">Creek County</a>, proceeding north on SH-99 to US-60 in <a href="Maintain: Osage County">Osage County</a>,

1 b. at the intersection of SH-99 and US-60, proceeding west on US-60 to SH-18, and 2 at the intersection of US-60 and SH-18, proceeding 3 C. north on SH-18 and ending at the Kansas border; and 4 5 4. US-169, commencing at the Kansas border in Nowata County and proceeding south on US-169 to SH-266 in 6 7 Tulsa County, and b. at the intersection of US-169 and SH-266, proceeding 8 9 east on SH-266 and ending at SH-66 in Rogers County; and 10 11 5. a. commencing at the intersection of SH-51 and SH-351 at 12 the Tulsa/Wagoner County line, proceeding south and east on SH-51 to US-69 in Wagoner County, 13 at the intersection of SH-51 and US-69, proceeding b. 14 15 north on US-69 to US-60 in Craig County, and at the intersection of US-69 and US-60 in Ottawa 16 C. County (2.5 mi. NE of Afton), proceeding east on US-60 17 and ending at the Arkansas Missouri border; and 18 6. US-183, commencing at the Texas border in Tillman County and 19 proceeding north on US-183 and ending at the intersection of SH-51 20 in Dewey County; and 21 commencing at the intersection of US-183 and SH-9 in 7. 22 Kiowa County, proceeding east on SH-9 to SH-146 in 23

Caddo County,

1 b. at the intersection of SH-9 and SH-146, proceeding north on SH-146 to SH-152, 2 3 at the intersection of SH-146 and SH-152, proceeding C. east on SH-152 to US-81 in Grady County, 4 5 d. at the intersection of SH-152 and US-81, proceeding south on US-81 to SH-37, 6 7 at the intersection of US-81 and SH-37, proceeding е. east on SH-37 to SH-4, 8 9 f. at the intersection of SH-37 and SH-4, proceeding north on SH-4 to SH-152 in Canadian County, and 10 11 g. at the intersection of SH-152 and SH-4, proceeding 12 east on SH-152 and ending at MacArthur Boulevard in Oklahoma County; and 13 8. commencing at the intersection of US-270 and US-412 in 14 a. Woodward County, proceeding east on US-412 to SH-132 15 16 in Garfield County, b. at the intersection of US-412 and SH-132, proceeding 17 north on SH-132 to SH-45, 18 at the intersection of SH-132 and SH-45, proceeding 19 C. east on SH-45 to US-64, 20 d. at the intersection of SH-45 and US-64, proceeding 21 north on US-64 to US-60 in Grant County, 22 at the intersection of US-64 and US-60, proceeding 23 е. east on US-60 to SH-74, 24

1 f. at the intersection of US-60 and SH-74, proceeding 2 south on SH-74 to SH-15 in Garfield County, at the intersection of SH-74 and SH-15, proceeding 3 g. east on SH-15 to US-77 in Noble County, 4 5 at the intersection of SH-15 and US-77, proceeding south on US-77 to SH-15, 6 i. at the intersection of US-77 and SH-15, proceeding 7 east on SH-15 to US-177, and 8 9 j. at the intersection of SH-15 and US-177, proceeding south on US-177 to US-64 $\tau$ 10 at the intersection of US-177 and US-64, proceeding 11 12 east on US-64 to SH-108, and 1. at the intersection of US-64 and SH-108, proceeding 13 south on SH-108 and ending at SH-51. 14 15 C. No person shall operate a high-wide load on the route described without a permit from the Department of Public Safety. 16 Exclusive of incorporated municipal limits, no person may 17 D. install any structure within the affected area without a permit from 18 the Department of Transportation. 19 Upon the effective date of this section, and exclusive of 20 incorporated municipal limits, no person may do any of the following 21 within the affected area: 22

Install any permanent structure without the authorization of

the Department of Transportation; or

23

- 2. Take any action that would make any portion of the affected area permanently unavailable for use by a high-wide load.
- F. The Department of Transportation shall create additional design standards for improvements to the Oklahoma high-wide routes to prevent interference from permanent structures. These standards shall:
- 1. Maintain a minimum eighteen feet and zero inches (18'-0") vertical clearance above the road surface for all future overhead obstructions. Where bridges cross over the Oklahoma high-wide routes, they shall be designed, where possible, to allow for high-wide loads to quickly egress and ingress around the bridge utilizing on- and off-ramps;
- 2. Require all future overhead signage to be of cantilever design, where possible, to allow high-wide loads to shift lanes to prevent interference; and
- 3. Require all future bridge design or construction on the Oklahoma high-wide routes to accommodate a three hundred fifteen thousand (315,000) pound gross vehicle weight, single-lane design vehicle.
- G. Political subdivisions in which any portion of the Oklahoma high-wide route is located shall attempt to reach agreements among the affected parties and with persons using the high-wide route for high-wide loads regarding the allocation of costs and provision of

1	services related to removing permanent structures that interfere
2	with the use of any portion of the affected area by high-wide loads.
3	H. Political subdivisions in which any portion of the Oklahoma
4	high-wide route is located shall attempt to reach agreements among
5	the affected parties and with persons using the high-wide route for
6	high-wide loads to provide timely vehicle escorts for persons using
7	the high-wide route for high-wide loads.
8	SECTION 2. This act shall become effective November 1, 2021.
9	Passed the Senate the 1st day of March, 2021.
10	
11	Presiding Officer of the Senate
12	riebraing officer of the behate
13	Passed the House of Representatives the day of,
14	2021.
15	
16	Presiding Officer of the House
17	of Representatives
18	
19	
20	
21	
22	
23	
24	